

# ASTRONOMY AND ASTROPHYSICS

**A European Journal**

**Volume 313 1996**

**Published by Springer on behalf of the Board of Directors**

Printing and bookbinding: Druckhaus Beltz, 69494 Hemsbach

# Contents

## Letters to the Editor

- Interstellar  $^{36}\text{S}$ : a probe of s-process nucleosynthesis  
*Mauersberger R., Henkel C., Langer N., Chin Y.-N.*  
 Iron abundance and dust in galactic HII regions  
*Rodríguez M.*  
 Do fireballs in the interstellar medium necessarily imply blast wave propagation?  
*Mitra A.*  
 Erratum: The origin of soft X-rays in luminous AGN  
*Mannheim K., Schulte M., Rachen J.*  
 Detection of  $^{29}\text{SiO } \nu=3 J=8 \rightarrow 7$  maser emission: a new IR SiO overlap  
*González-Alfonso E., Alcolea J., Cernicharo J.*  
 The remarkable Class 0 source Cep E  
*Lefloch B., Eislöffel J., Lazareff B.*  
 New determination of the disc scale length and the radial cutoff in the anticenter with DENIS data  
*Ruphy S., Robin A.C., Epchtein N., Copet E., Bertin E., Fouqué P., Guglielmo F.*  
 A damped Ly $\alpha$  candidate at  $z \sim 0.1$  toward Q 0439-433  
*Petitjean P., Théodore B., Smette A., Lespine Y.*

## Cosmology

- The gas deficiency of the Galactic halo  
*Salati P., Chardonnet P., Luo X., Silk J., Taillet R.*  
 Relationships between cluster densities and other statistical quantities  
*Betancort-Rijo J., López-Corredoira M.*  
 Cosmic crystallography  
*Lehoucq R., Lachièze-Rey M., Luminet J.P.*  
 Binary galaxies and alternative physics. I. A qualitative application of MOND and Mannheim-Kazanas gravity  
*Soares D.S.L.*  
 Arcs from a universal dark-matter halo profile  
*Bartelmann M.*  
 The quasi-steady state cosmology: analytical solutions of field equations and their relationship to observations  
*Sachs R., Narlikar J.V., Hoyle F.*

## Extragalactic astronomy

- The bar-enhanced star-formation activities in spiral galaxies  
*Huang J.H., Gu Q.S., Su H.J., Hawarden T.G., Liao X.H., Wu G.X.*

- A powerful radio galaxy at  $z = 3.6$  in a giant rotating Lyman  $\alpha$  halo  
*van Ojik R., Röttgering H.J.A., Carilli C.L., Miley G.K., Bremer M.N., Macchetto F.* 25  
 Near-infrared and optical broadband surface photometry of 86 face-on disk-dominated galaxies. III. The statistics of the disk and bulge parameters  
*de Jong R.S.* 45  
 Hydrodynamical simulations of the barred spiral galaxy NGC 1365. Dynamical interpretation of observations  
*Lindblad P.A.B., Lindblad P.O., Athanassoula E.* 65  
 Non-thermal mm-continuum emission from the radio galaxy B2 0902+343, and non-detection of CO(4-3)  
*Downes D., Solomon P.M., Sanders D.B., Evans A.S.* 91  
 What perturbs NGC 2188?  
*Domgörgen H., Dahlem M., Dettmar R.-J.* 96  
 CIV absorption from hot gas inside the supergiant shell LMC 4 observed with HST and IUE  
*Bomans D.J., de Boer K.S., Koornneef J., Grebel E.K.* 101  
 ROSAT/SPSC observation of the distant cluster CL 0939+4713  
*Schindler S., Wambsganss J.* 113  
 Are there two types of BL Lacertae objects?  
*Brinkmann W., Siebert J., Kollgaard R.I., Thomas H.-C.* 356  
 1 Dynamical evolution of galaxy groups. A comparison of two approaches  
*García-Gómez C., Athanassoula E., Garijo A.* 363  
 8 Near-infrared and optical broadband surface photometry of 86 face-on disk-dominated galaxies. IV. Using color profiles to study stellar and dust content of galaxies  
*de Jong R.S.* 377  
 The synchrotron halo and magnetic field of NGC 4449  
*Klein U., Hummel E., Bomans D.J., Hopp U.* 396  
 On the nature of the UV turnover in early-type galaxies  
*Bica E., Bonatto C., Pastoriza M.G., Alloin D.* 405  
 High-redshift B3 radio sources at 1.3 mm wavelength  
*Klein U., Vigotti M., Gregorini L., Reuter H.-P., Mack K.-H., Fanti R.* 417  
 Emission line imaging of 3 CR quasars and radio galaxies  
*Hes R., Barthel P.D., Fosbury R.A.E.* 423  
 Long-slit spectra of extraplanar diffuse ionized gas in NGC 4631  
*Golla G., Dettmar R.-J., Domgörgen H.* 439

- Star formation history of the starburst galaxy NGC 1569  
Vallenari A., Bomans D.J. 713
- Dynamical modeling of two nearby disc galaxies  
Mulder P.S., Combes F. 723
- Hydrodynamical simulations of the barred spiral galaxy NGC 1300. Dynamical interpretation of observations  
Lindblad P.A.B., Kristen H. 733
- The host of B2 0828+32, a radio galaxy with two sets of radio lobes  
Ulrich M.-H., Rönnback J. 750
- (RN)** HR 4289 – an X-ray luminous galaxy close to the bright star  
Hünsch M., Reimers D., Schmitt J.H.M.M. 755
- A model for the soft  $\gamma$ -ray variability in MeV blazars  
Romero G.E. 759
- Two-frequency determination of the B-field orientation of radio sources  
Reuter H.-P., Klein U. 768
- Near-infrared line and continuum imaging of the nuclear starburst region of NGC 1808  
Kotilainen J.K., Forbes D.A., Moorwood A.F.M., van der Werf P.P., Ward M.J. 771
- Galactic structure and dynamics**
- The kinematics of globular clusters, apocentric distances and a halo metallicity gradient  
Dauphole B., Geffert M., Colin J., Ducourant C., Odenkirchen M., Tucholke H.-J. 119
- The role of supernovae for the galactic dynamo. II. Alpha-quenching  
Ziegler U. 448
- On the origin of the 170 keV feature from the Galactic Center region  
Wehrse R., Duschl W.J., Hof M., Tscharnuter W.M. 457
- Numerical calculation of linear modes in stellar disks  
Vauterin P., Dejonghe H. 465
- Origin of H I shells in the Milky Way: OB associations or HVCs  
Ehlerová S., Palouš J. 478
- Chemical evolution of the Milky Way Galaxy. I. On the infall model of galactic chemical evolution  
Pilyugin L.S., Edmunds M.G. 783
- Chemical evolution of the Milky Way Galaxy. II. On the origin of scatter in the age-metallicity relation  
Pilyugin L.S., Edmunds M.G. 792
- Chemical evolution of the Milky Way Galaxy. III. Is the disk formed through mergers of fragments?  
Pilyugin L.S. 803
- Stellar clusters and associations**
- Stellar population and color gradients in the post-core-collapse globular cluster M 30 (NGC 7099)  
Burgarella D., Buat V. 129
- White dwarfs in open clusters. VIII. NGC 2516: a test for the mass-radius and initial-final mass relations  
Koester D., Reimers D. 810
- Coronal activity in the Coma Berenices open cluster  
Randich S., Schmitt J.H.M.M., Prosser C. 815
- Formation, structure and evolution of stars**
- Diffusive mixing by shears in rotating stars  
Maeder A., Meynet G. 140
- Stellar evolution with turbulent diffusion. I. A new formalism of mixing  
Deng L., Bressan A., Chiosi C. 145
- Stellar evolution with turbulent diffusion. II. The HR diagram of supergiant stars  
Deng L., Bressan A., Chiosi C. 159
- AGB stars: densities and formation rates obtained from OH/IR stars  
Ortiz R., Maciel W.J. 180
- HD 105262: a high latitude metal-poor post-AGB. A supergiant with large proper motion  
Reddy B.E., Parthasarathy M., Sivarani T. 191
- Effect of kick velocity on the distribution of gamma-ray bursters  
Terasawa N., Hattori M. 197
- Pulsar glitches, ROSAT data and mass accretion  
Morley P.D. 204
- A magnetic model for the Ap star HD 192678  
Wade G.A., Elkin V.G., Landstreet J.D., Leroy J.-L., Mathys G., Romanyuk I.I. 209
- (RN)** Appearance and disappearance of the 511 keV line as a consequence of changes in the annihilation regime  
Burdyuzha V.V., Kauts V.L., de Freitas Pacheco J.A. 485
- On a temperature-regulation mechanism for contact binaries  
Hazlehurst J. 487
- Hydrodynamical models of stellar convection. The role of overshoot in DA white dwarfs, A-type stars, and the Sun  
Freytag B., Ludwig H.-G., Steffen M. 497
- (RN)** A possible T Tauri companion to the long-term photometric variable HR 6000  
van den Ancker M.E., de Winter D., Thé P.S. 517
- On the nature of the Am phenomenon or on a stabilization and the tidal mixing in binaries. I. Orbital periods and rotation  
Budaj J. 523
- H $\alpha$  observations of VW Cephei  
Frasca A., Sanfilippo D., Catalano S. 532
- Pulsations of WR stars: results of a 3-year survey of 6 WR stars  
Bratschi P., Blecha A. 537
- The TP-AGB phase: a new model  
Marigo P., Bressan A., Chiosi C. 545
- The pulsed soft X-ray emission from PSR 0656+14  
Possenti A., Mereghetti S., Colpi M. 565
- The oscillation modes of  $\theta^2$  Tauri. Results from the 1992 MUSICOS campaign  
Kennelly E.J., Walker G.A.H., Catala C., Foing B.H., Huang L., Jiang S., Hao J., Zhai D., Zhao F., Neff J.E., Houdebine E.R., Ghosh K.K., Charbonneau P. 571
- $^3\text{He}$  in stars of low and intermediate mass  
Weiss A., Wagenhuber J., Denissenkov P.A. 581
- SIGMA discovery of a transient hard X-ray source in the galactic center region  
Vargas M., Goldwurm A., Paul J., Denis M., Borrel V., Bouchet L., Roques J.P., Jourdain E., Trudolyubov S., Gilfanov M., Churazov E., Sunyaev R., Khavenson N., Dyachkov A., Novikov B., Chulkov I. 828

- RX J1957.1-5738: a new low-field polar discovered with ROSAT  
*Thomas H.-C., Beuermann K., Schwöpe A.D., Burwitz V.*
- Evidence for a binary lens in the MACHO LMC No. 1 microlensing event  
*Dominik M., Hirshfeld A.C.*
- $\gamma$  Doradus and  $\delta$  Scuti stars: cousins or twins?  
*Breger M., Beichbuchner F.*
- Evaporation of star-grazing bodies in the vicinity of UX Ori-type stars  
*Grinin V., Natta A., Tambovtseva L.*
- Stellar atmospheres**
- On the gas temperature in the shocked circumstellar envelopes of pulsating stars. II. Shock-induced condensation around R Coronae Borealis stars  
*Woitke P., Goeres A., Sedlmayr E.*
- (RN) Abundance of barium in metal-poor stars  
*François P.*
- On collimated stellar jet magnetospheres. II. Dynamical structure of collimating wind flows  
*Fendt C., Camenzind M.*
- Non-spherical dust-driven winds of slowly rotating AGB stars  
*Dorfi E.A., Höfner S.*
- Evolution of the post-nova GQ Muscae (Nova Muscae 1983). II. Stellar atmospheres, coronal lines, and turnoff  
*Morisset C., Péquignot D.*
- Diffusion of aluminium in the atmosphere of Ap stars  
*Hui-Bon-Hoa A., Alecian G., Artru M.-C.*
- (RN) Infrared imaging and spectroscopy of G79.29+0.46  
*Waters L.B.F.M., Izumiura H., Zaal P.A., Geballe T.R., Kester D.J.M., Bontekoe T.R.*
- The empirical scale of temperatures of the low main sequence (F0V-K5V)  
*Alonso A., Arribas S., Martínez-Roger C.*
- On the growth of carbonaceous grains in circumstellar envelopes  
*Krüger D., Patzer A.B.C., Sedlmayr E.*
- A coupled hydrodynamic-ionisation model for the clumpy Wolf-Rayet ring nebula RCW 58  
*Arthur S.J., Henney W.J., Dyson J.E.*
- (RN) Constraints on the use of BeI lines for deriving beryllium abundances in late-type dwarf stars  
*García-López R.J.*
- Diffuse matter in space (including H II regions and planetary nebulae)**
- Mid-IR and radio images of IC 418: dust in a young planetary nebula  
*Meixner M., Skinner C.J., Keto E., Zijlstra A., Hoare M.G., Arens J.F., Jernigan J.G.*
- The structure and kinematics of the unusual bipolar outflow NGC 7026  
*Cuesta L., Phillips J.P., Mampaso A.*
- Extreme-infrared (800  $\mu$ m) polarimetry of the M 17-SW molecular cloud with the JCMT  
*Vallée J.P., Bastien P.*
- The distribution of CS and NH<sub>3</sub> in star-forming regions  
*Taylor S.D., Morata O., Williams D.A.*
- Structure and chemistry of the Orion bar photon-dominated region  
*van der Werf P.P., Stutzki J., Sternberg A., Krabbe A.*
- Diffuse interstellar bands: resolved rotational band structure at 5850 Å  
*Jenniskens P., Porceddu I., Benvenuti P., Désert F.-X.*
- The excitation and abundance of HDO toward W 3(OH)/(H<sub>2</sub>O)  
*Helmich F.P., van Dishoeck E.F., Jansen D.J.*
- Unveiling low-ionization microstructures in planetary nebulae  
*Corradi R.L.M., Manso R., Mampaso A., Schwarz H.E.*
- Abundances in type I planetary nebulae: is the galactic disk presently oxygen deficient?  
*Costa R.D.D., de Freitas Pacheco J.A., de França Jr. J.A.*
- Diffuse molecular gas in the Polaris flare  
*Meyerdierks H., Heithausen A.*
- Erratum: Populations of the OI metastable levels  
*Péquignot D.*
- The Sun**
- Coronal mass ejections caused by filament eruptions  
*Filippov B.P.*
- Two-dimensional magnetic singular points and flares in solar active regions  
*Wang H., Wang J.*
- Spatial relation between the 5-minute oscillations and granulation patterns  
*Espagnet O., Muller R., Roudier T., Mein P., Mein N., Malherbe J.M.*
- Effects of flow on resonant absorption of MHD waves in viscous MHD  
*Erdélyi R., Goossens M.*
- Stochastic excitation and memory of the solar dynamo  
*Ossendrijver A.J.H., Hoyng P., Schmitt D.*
- Solar chromospheric structures as observed simultaneously in strong UV lines. II. Network and cell modelling  
*Bocchialini K., Gouttebroze P.*
- Stochastic and nonlinear fluctuations in a mean field dynamo  
*Ossendrijver A.J.H., Hoyng P.*
- Oscillations in the solar atmosphere: a result of hydrodynamical simulations  
*Cheng Q.-Q., Yi Z.*
- The solar system**
- High resolution spectra of Io's neutral potassium and oxygen clouds  
*Thomas N.*
- Optical methane-band observations of Jovian Shoemaker-Levy 9 impact debris  
*Douglas N.G.*
- Profile analysis of the (2,0) Phillips band of C<sub>2</sub> in comet P/Halley  
*Krishna Swamy K.S.*
- Evidence for two classes of comets from their polarimetric properties at large phase angles  
*Levasseur-Regourd A.C., Hadamcik E., Renard J.B.*

- A mapping approach to Hill's distant encounters: application to the stability of planetary embryos  
*Namouni F., Luciani J.F., Tabachnik S., Pellat R.* 979
- Dynamical evolution of two near-Earth asteroids to be explored by spacecraft: (433) Eros and (4660) Nereus  
*Michel P., Froeschlé C., Farinella P.* 993
- Celestial mechanics and astrometry**
- Wavelet analysis of the asteroidal resonant motion  
*Michuchenko T.A., Nesvorný D.* 674
- Physical and chemical processes**
- (RN) Special relativity and the pseudo-Newtonian potential  
*Abramowicz M.A., Beloborodov A.M., Chen X.-M., Igumenshchev I.V.* 334
- Localization of light, stellar opacities and the solar neutrino problem  
*Mateev M.D.* 679
- Opacity effects on the stability of thermal structures  
*Parravano A., Sánchez D.N.M., Ibáñez S.M.H.* 685
- Variational principle for slender flux tubes. I. General equations and added mass effects  
*Achterberg A.* 1008
- Variational principle for slender flux tubes. II. Stability of flux tubes in a disk  
*Achterberg A.* 1016
- Erratum: LTE radiative transfer for polarized hydrogen lines in the weak-field regime  
*Casini R., Landi Degl'Innocenti E.* 1027
- Erratum: The  $\omega\Omega$  dynamo in accretion disks of rotating black holes  
*Khanna R., Camenzind M.* 1028
- Abstracts of articles which have been published in A&A Supplement Series 118, No. 3** 692
- Irregular variables of type Lb. New JHKLM-photometry for 160 stars  
*Kerschbaum F., Lazaro C., Habison P.* 692
- Critical tests of stellar evolution in open clusters. I. New photometry and radial velocities for NGC 3680  
*Nordström B., Andersen J., Andersen M.I.* 692
- The peculiar interacting binary V Sagittae: brightness variations in 1932–1994  
*Šimon V.* 692
- Morphology of early-type galaxies in compact groups. IV. Rose groups  
*Bettoni D., Fasano G.* 693
- New aperture photometry for 217 galaxies in the Virgo and Fornax clusters  
*Schröder A., Visvanathan N.* 693
- BL Eridani: an unstable W Ursae Majoris system with spotted components  
*Liu Q., Soonthornthum B., Yang Y., Gu S., Niparugs S., Sooksawat M.L.A., Wang B., Naksata M.* 693
- Disk galaxies with multiple triaxial structures. II. J H K surface photometry and numerical simulations  
*Friedli D., Wozniak H., Rieke M., Martinet L., Bratschi P.* 693
- The ROSAT All-Sky Survey catalogue of optically bright OB-type stars  
*Berghöfer T.W., Schmitt J.H.M.M., Cassinelli J.P.* 694
- B[e] stars. II. MWC 349 A  
*Andrillat Y., Jaschek M., Jaschek C.* 694
- Proper motions of stars in the region of the Orion Nebula cluster (C 0532-054)  
*Tian K.P., van Leeuwen F., Zhao J.L., Su C.G.* 694
- Resolved imaging of extra-solar planets with future 10–100 km optical interferometric arrays  
*Labeyrie A.* 694
- Stellar reference system: systematic effects (Text in French)  
*Martin V.A.F., Boczek R., Benevides-Soares P., Leister N.V.* 695
- A combined Fourier-Bessel transformation method to derive accurate rotational velocities  
*Piters A.J.M., Groot P.J., van Paradijs J.* 695
- Rotational velocities of F dwarfs; application of the Fourier-Bessel transformation method  
*Groot P.J., Piters A.J.M., van Paradijs J.* 695
- Near-infrared and optical broadband surface photometry of 86 face-on disk-dominated galaxies. II. A two-dimensional method to determine bulge and disk parameters  
*de Jong R.S.* 695
- Deconvolution of astronomical images using the multiscale maximum entropy method  
*Pantín E., Starck J.-L.* 696
- Searching for periodicity in weighted time point series  
*Jetsu L., Pelt J.* 696
- Spectroscopy made easy: a new tool for fitting observations with synthetic spectra  
*Valenti J.A., Piskunov N.* 696



